



 11 4114-1677



Tube Schedule  
com e sem costura

POL.	Diâmetro. Ext. mm	Diam. Interno	Parede	Kg/MT	Denom.	Schedule
1/4"	<b>13,72</b>	9,24	2,24	0,63	STD	40
		7,68	3,02	0,80	XS	80
		7,12	3,30	0,82		160
Pol.	Diam. Ext. mm	Diam. Inter	Parede	Kg/MT	Denom.	Schedule
3/8"	<b>17,15</b>	12,53	2,31	0,85	STD	40
		10,75	3,20	1,10	XS	80
		7,65	4,75	1,56		160
Pol.	Diam. Ext. mm	Diam. Inter	Parede	Kg/MT	Denom.	Schedule
1/2"	<b>21,34</b>	15,80	2,77	1,26	STD	40
		14,16	3,73	1,62	XS	80
		11,78	4,78	1,95		160
		6,40	7,47	2,54	XXS	.
Pol.	Diam. Ext. mm	Diam. Inter	Parede	Kg/MT	Denom.	Schedule
3/4"	<b>26,67</b>	20,93	2,87	1,68	STD	40
		18,85	3,91	2,19	XS	80
		15,55	5,56	2,89		160
		11,03	7,82	3,63	XXS	
Pol.	Diam. Ext. mm	Diam. Inter	Parede	Kg/MT	Denom.	Schedule
1"	<b>33,40</b>	26,64	3,38	2,50	STD	40
		24,30	4,55	3,23	XS	80
		20,68	6,36	4,23		160
		15,22	9,09	5,45	XXS	
Pol.	Diam. Ext. mm	Diam. Inter	Parede	Kg/MT	Denom.	Schedule
1.1/4"	<b>42,16</b>	35,04	3,56	3,38	STD	40
		32,46	4,85	4,46	XS	80
		29,46	6,35	5,60		160
		22,76	9,70	7,75	XXS	
Pol.	Diam. Ext. mm	Diam. Inter	Parede	Kg/MT	Denom.	Schedule
1.1/2"	<b>48,26</b>	40,90	3,68	4,05	STD	40
		38,10	5,08	5,40	XS	80
		33,98	7,14	7,23		160
		27,94	10,16	9,54	XXS	
Pol.	Diam. Ext. mm	Diam. Inter	Parede	Kg/MT	Denom.	Schedule
2"	<b>60,32</b>	52,50	3,91	5,43	STD	40
		49,24	5,54	7,47	XS	80
		42,84	8,74	11,10		160
		38,18	11,07	13,41	XXS	
Pol.	Diam. Ext. mm	Diam. Inter	Parede	Kg/MT	Denom.	Schedule
2.1/2"	<b>73,03</b>	62,71	5,16	8,62	STD	40
		59,01	7,01	11,40	XS	80
		53,99	9,52	14,90		160
		44,99	14,02	20,37	XXS	

Tubos nacionais e importados nas principais normas técnicas.

[www.fabritubos.com.br](http://www.fabritubos.com.br)

E-mail: [comercial@fabritubos.com.br](mailto:comercial@fabritubos.com.br)

Pol.	Diam. Ext.mm	Diam. Inter	Parede	Kg/MT	Denom.	Schedule
3"	<b>88,90</b>	77,92	5,49	11,28	STD	40
		73,66	7,62	15,25	XS	80
		66,64	11,13	21,31		160
		58,42	15,24	27,65	XXS	
Pol.	Diam. Ext.mm	Diam. Inter	Parede	Kg/MT	Denom.	Schedule
3.1/2"	<b>101,60</b>	90,12	5,74	13,56	STD	40
		85,44	8,08	18,60	XS	80
Pol.	Diam. Ext.mm	Diam. Inter	Parede	Kg/MT	Denom.	Schedule
4"	<b>114,30</b>	102,26	6,02	16,06	STD	40
		97,18	8,56	22,29	XS	80
		92,04	11,13	28,27		120
		87,32	13,49	33,49		160
		80,06	17,12	40,98	XXS	
Pol.	Diam. Ext.mm	Diam. Inter	Parede	Kg/MT	Denom.	Schedule
5"	<b>141,30</b>	128,30	6,55	21,75	STD	40
		122,26	9,52	30,92	XS	80
		115,90	12,70	40,25		120
		109,54	15,88	49,01		160
		103,20	19,05	57,36	XXS	
Pol.	Diam. Ext.mm	Diam. Inter	Parede	Kg/MT	Denom.	Schedule
6"	<b>168,30</b>	155,60	6,35	25,33	STD	
		154,08	7,11	28,23		40
		146,36	10,97	42,51	XS	80
		139,76	14,27	54,15		120
		131,78	18,26	67,48		160
		124,40	21,95	79,10	XXS	
Pol.	Diam. Ext.mm	Diam. Inter	Parede	Kg/MT	Denom.	Schedule
8"	<b>219,07</b>	206,37	6,35	33,27		20
		204,99	7,04	36,75		30
		202,71	8,18	42,48	STD	40
		198,45	10,31	53,03		60
		193,67	12,70	64,56	XS	80
		188,89	15,09	75,81		100
		182,55	18,26	90,47		120
		177,83	20,62	100,83		140
		174,63	22,22	107,76	XXS	
		173,05	23,01	111,14		160

Tubos nacionais e importados nas principais normas técnicas.

[www.fabritubos.com.br](http://www.fabritubos.com.br)

E-mail: [comercial@fabritubos.com.br](mailto:comercial@fabritubos.com.br)

Pol.	Diam. Ext.mm	Diam. Inter	Parede	Kg/MT	Denom.	Schedule
10"	<b>273,05</b>	260,35	6,35	41,74		20
		257,45	7,80	50,95		30
		254,51	9,27	60,23	STD	40
		247,65	12,70	81,45	XS	60
		242,87	15,09	95,87		80
		236,53	18,26	114,62		100
		230,17	21,44	132,86		120
		222,25	25,40	154,95	XXS	140
		215,91	28,57	172,07		160
Pol.	Diam. Ext.mm	Diam. Inter	Parede	Kg/MT	Denom.	Schedule
12"	<b>323,84</b>	311,14	6,35	49,67		20
		307,08	8,38	65,13		30
		304,80	9,52	73,75	STD	
		303,22	10,31	79,64		40
		298,44	12,70	97,34	XS	
		295,30	14,27	108,85		60
		288,90	17,47	131,88		80
		280,96	21,44	159,69		100
		273,04	25,40	186,73	XXS	120
		266,70	28,57	207,83		140
		257,20	33,32	238,49		160
Pol.	Diam. Ext.mm	Diam. Inter	Parede	Kg/MT	Denom.	Schedule
14"	<b>355,60</b>	344,94	6,35	54,69		10
		339,76	7,92	67,87		20
		336,56	9,52	81,20	STD	30
		334,54	11,13	94,40		40
		330,20	12,70	107,27	XS	
		325,22	15,19	126,56		60
		317,55	19,05	157,92		80
		307,96	23,82	194,70		100
		300,02	27,79	224,38		120
		292,10	31,75	253,27		140
		284,18	35,71	281,40		160
	Pol.	Diam. Ext.mm	Diam. Inter	Parede	Kg/MT	Denom.
16"	<b>406,40</b>	393,70	6,35	62,57		10
		390,56	7,92	77,78		20
		387,36	9,52	93,19	STD	30
		381,00	12,70	123,16	XS	40
		373,08	16,66	159,96		60
		363,52	21,44	203,28		80
		354,02	26,19	242,25		100
		344,48	30,96	286,34		120
		333,34	36,53	332,78		140
		325,42	40,49	364,93		160

Pol.	Diam. Ext.mm	Diam. Inter	Parede	Kg/MT	Denom.	Schedule
18"	<b>457,20</b>	444,50	6,35	70,52		10
		441,36	7,92	87,70		20
		438,16	9,52	105,04	STD	
		434,94	11,13	122,24		30
		431,80	12,70	139,05	XS	
		428,66	14,27	155,75		40
		419,10	19,05	205,60		60
		409,54	23,83	254,33		80
		398,48	29,36	309,44		100
		387,36	34,92	363,28		120
		377,86	39,67	408,04		140
		366,70	45,25	459,05		160
Pol.	Diam. Ext.mm	Diam. Inter	Parede	Kg/MT	Denom.	Schedule
20"	<b>508,00</b>	495,30	6,35	78,46		10
		488,96	9,52	116,96	STD	20
		482,60	12,70	154,95	XS	30
		477,82	15,09	183,19		40
		466,76	20,62	247,60		60
		455,62	26,19	310,80		80
		407,98	50,01	564,20		160
Pol.	Diam. Ext.mm	Diam. Inter	Parede	Kg/MT	Denom.	Schedule
22"	<b>558,80</b>	546,10	6,35	86,41		10
		539,76	9,52	128,88		20
		533,40	12,70	182,32	XS	30
		527,04	15,88	212,31		40
		514,36	22,22	293,75		60
		501,66	28,57	373,21		80
		488,96	34,92	450,69		100
		476,26	41,27	526,17		120
		463,56	47,62	599,66		140
		450,86	53,97	671,15		160
Pol.	Diam. Ext.mm	Diam. Inter	Parede	Kg/MT	Denom.	Schedule
24"	<b>609,60</b>	596,90	6,35	94,35		10
		590,56	9,52	140,80	STD	20
		584,20	12,70	186,73	XS	
		581,06	14,27	209,33		30
		574,64	17,48	254,88		40
		560,38	24,61	354,66		60
		547,68	30,96	441,31		80
		531,82	38,89	546,68		100
		517,66	46,02	638,93		120
		504,86	52,37	718,88		140
		490,52	59,54	807,79		160

Tubos nacionais e importados nas principais normas técnicas.

[www.fabritubos.com.br](http://www.fabritubos.com.br)

E-mail: [comercial@fabritubos.com.br](mailto:comercial@fabritubos.com.br)

Pol.	Diam. Ext.mm	Diam. Inter	Parede	Kg/MT	Denom.	Schedule
26"	660,40	644,56	7,92	127,50		10
		641,36	9,52	152,87	STD	
		635,00	12,70	202,88	XS	20
Pol.	Diam. Ext.mm	Diam. Inter	Parede	Kg/MT	Denom.	Schedule
28"	711,20	695,36	7,92	137,42		10
		692,16	9,52	164,80	STD	
		685,80	12,70	218,78	XS	20
		679,44	15,88	272,18		30
Pol.	Diam. Ext.mm	Diam. Inter	Parede	Kg/MT	Denom.	Schedule
30"	762,00	746,16	7,92	147,36		10
		742,96	9,52	176,73	STD	
		736,60	12,70	234,64	XS	20
		730,24	15,88	292,06		30
Pol.	Diam. Ext.mm	Diam. Inter	Parede	Kg/MT	Denom.	Schedule
32"	812,80	796,96	7,92	157,28		10
		793,76	9,52	188,66	STD	
		787,40	12,70	250,55	XS	20
		781,04	15,88	311,95		30
		777,04	17,48	342,70		40
Pol.	Diam. Ext.mm	Diam. Inter	Parede	Kg/MT	Denom.	Schedule
34"	863,60	850,90	6,35	134,23		
		844,56	9,52	200,51	STD	
		838,20	12,70	266,46	XS	20
		831,84	15,88	331,83		30
Pol.	Diam. Ext.mm	Diam. Inter	Parede	Kg/MT	Denom.	Schedule
36"	914,40	901,70	6,35	142,17		
		895,36	9,52	212,52	STD	
		889,00	12,70	282,36	XS	20
		882,72	15,88	351,72		30
Pol.	Diam. Ext.mm	Diam. Inter	Parede	Kg/MT	Denom.	Schedule
38"	965,20	952,50	6,35	150,16		
		946,16	9,52	224,45	STD	
		939,80	12,70	298,27	XS	
		933,44	15,88	371,60		
Pol.	Diam. Ext. mm	Diam. Inter	Parede	Kg/MT	Denom.	Schedule
40"	1016,00	1003,30	6,35	158,11		
		996,96	9,52	236,38	STD	
		990,60	12,70	314,18	XS	
		984,24	15,88	391,49		

Tubos nacionais e importados nas principais normas técnicas.

[www.fabritubos.com.br](http://www.fabritubos.com.br)

E-mail: [comercial@fabritubos.com.br](mailto:comercial@fabritubos.com.br)